

FRONT DOOR HANDLES

| General catalogue



GENERAL CATALOGUE

FRONT DOOR HANDLES AND ACCESSORIES



SURFACES | COLOURS | 4

FRONT DOOR HANDLES

STANDARD | 6

CLASSIC DESIGN | 24

MODERN DESIGN | 32

TECHNOLOGY | 48

RENOVATION | 56

ACCESSIBILITY | 62

FASTENING | 64

ESCUTCHEONS | 70

HOUSE NUMBERS | ACCESSORIES | 74

INDEX | 76

SURFACES



In addition to the very popular brushed and mirror-polished stainless steel standard surfaces, we can also offer other surfaces on request.

→ **PVD coating**
E.g. shiny brass, shiny chrome

→ **Powder coating**
Black mat (.0224) is standard and remains one of the most popular finishes for our front door handles. With the new colours *covered brass (.0284)*, *chilled copper (.0283)* and *mellow titanium (.0285)*, we are supplementing our standard surfaces for front door handles with a subtle, warm colour palette.

There are virtually no limits to the choice of powder coating colours.
All handles with a matt black finish (**.0224) can be powder-coated in any other colour.**
Simply ask us for your desired colour.

→ **Solid bronze**
The particularly durable version – cast from real bronze

→ **Others on request**

All surfaces are available on request for almost all push handle models.

WARRANTY

It goes without saying that we pay strict attention to the material and coating to ensure that all surfaces fully meet the high requirements for outdoor use.

We offer a five-year quality warranty on all our front door handles.



COLOURS

Example for handle: 12342 → page 33



FRONT DOOR HANDLES
STANDARD




optional incl.
scratch protection
19336

Stainless steel tube handle

Ø 32/25 mm, 90°

Art.No.	CC	L
12312	200	330
	200	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600
	1600	1800
	1800	2000

Universal fastening on page 66



*****.0074
*****.0224




optional incl.
scratch protection
19335

Stainless steel tube handle


Ø 32/25 mm, 45°

Art.No.	CC	L
12160	200 210	330
	200 210 300	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600
	1600	1800
	1800	2000

Universal fastening on page 66




*****.0074
*****.0224




Stainless steel tube handle
Ø 32/25 mm, 90°, with dots

Art.No.	CC	L
12264	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32/25 mm, 90°, with dots, polished ends

Art.No.	CC	L
12263	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32/25 mm, 45°, with dots

Art.No.	CC	L
12134	210	330
	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32/25 mm, 45°, with dots, polished ends

Art.No.	CC	L
12161	210	330
	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32/25 mm, 90°, with polished grooves

Art.No.	CC	L
12321	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32/25 mm, 90°, with polished grooves

Art.No.	CC	L
12322	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32/25 mm, 45°, with polished grooves

Art.No.	CC	L
12209	210	330
	210	400
	400	600
	600	800
	800	1000

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32/25 mm, 45°, with polished grooves

Art.No.	CC	L
12208	210	330
	210	400
	400	600
	600	800
	800	1000

Universal fastening on page 66




*****.0074



Stainless steel tube handle 65°

Art.No.	CC	L
12214	210	400
	400	600
	600	800
	800	1000

Universal fastening on page 66




- *****.0074
- *****.0224



Stainless steel tube handle
Ø 25/25 mm, 45°

Art.No.	CC	L
12302	300	500

Universal fastening on page 66



- *****.0074
- *****.0224



Handle: 12137 → page17




Stainless steel tube handle

33/27 mm, 90°

Art.No.	CC	L
12254	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600
	1600	1800
	1800	2000

Universal fastening on page 66



*****.0074
*****.0224




Stainless steel tube handle


33/27 mm, 90°, with dots, polished ends

Art.No.	CC	L
12258	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600

Universal fastening on page 66



*****.0074




Stainless steel tube handle

33/27 mm, 45°

Art.No.	CC	L
12253	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600
	1600	1800
	1800	2000

Universal fastening on page 66



*****.0074
*****.0224




Stainless steel tube handle

33/27 mm, 45°, with dots, polished ends

Art.No.	CC	L
12259	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32 mm, 90°

Art.No.	CC	L
12125	350	382
	400	432
	600	632
	800	832

Universal fastening on page 66




- *****.0074
- *****.0224



Stainless steel tube handle
Ø 32 mm, 44°

Art.No.	CC	L
12137	500	588
	800	964

Universal fastening on page 66




- *****.0074
- *****.0224



Stainless steel tube handle
Ø 25 mm, 90°

Art.No.	CC	L
12049	300	325
	500	525

Universal fastening on page 66




- *****.0074
- *****.0224



Stainless steel tube handle
Ø 32 mm, 44°, with dots, polished ends

Art.No.	CC	L
12323	500	588
	800	964

Universal fastening on page 66




- *****.0074



Stainless steel tube handle
Ø 32 mm, 44°, with polished grooves

Art.No.	CC	L
12324	500	588
	800	964

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32 mm

Art.No.	CC	L
12115	1435	1620

Universal fastening on page 66




*****.0074

*****.0224

Stainless steel tube handle
Ø 32 mm, with dots, polished ends

Art.No.	CC	L
12184	1435	1620

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32 mm

Art.No.	CC	L
12138	350	382
	800	832

Universal fastening on page 66




*****.0074
*****.0224



Stainless steel tube handle
Ø 32 mm, with dots, polished ends

Art.No.	CC	L
12325	350	382
	800	832

Universal fastening on page 66




*****.0074



Stainless steel tube handle
Ø 32 mm

Art.No.	CC	L
12003	300	244
12013	350	274

Universal fastening on page 66





*****.0074
*****.0224



Stainless steel tube handle
Ø 32 mm

Art.No.	CC	L
12005	300	332
12018	350	382

Universal fastening on page 66





*****.0074
*****.0224



Stainless steel tube handle
Ø 32 mm

Art.No.	CC	L
12004	300	332
12017	350	382

Universal fastening on page 66





*****.0074
*****.0224



Stainless steel tube handle
Ø 32 mm

Art.No.	CC	L
12020	350	382

Universal fastening on page 66





- *****.0074
- *****.0224



Stainless steel tube handle
Ø 32/25 mm

Art.No.	CC	L
12122	300	342

Universal fastening on page 66



- *****.0074
- *****.0224





FRONT DOOR HANDLES

CLASSIC DESIGN




Stainless steel handle

Art.No.	CC	L
12295	200	310

Universal fastening on page 66
or thread M8

*****.0074 *****.0224




Stainless steel handle

Art.No.	CC	L
12296	230	320

Universal fastening on page 66
or thread M8

*****.0074 *****.0224




Stainless steel handle

Art.No.	CC	L
12297	230	325

"Classic" fastening (page 69)
or thread M8

*****.0074 *****.0224






Stainless steel handle

Art.No.	CC	L
12316	230	326

“Classic” fastening (page 69)
or thread M8

*****.0071




Stainless steel handle

Art.No.	CC	L
10061	210	290

Universal fastening on page 66

*****.0074 *****.0224




Stainless steel handle

Art.No.	CC	L
12317	210	253

“Classic” fastening (page 69)
or thread M8

*****.0071




Solid bronze handle

Art.No.	CC	L
12318	201	291

“Classic” fastening (page 69)
or thread M8

*****.0298




Stainless steel handle

Art.No.	CC	L
12318	201	291

“Classic” fastening (page 69)
or thread M8

*****.0032 *****.0071




Solid bronze handle

Art.No.	CC	L
12353	180	263

“Classic” fastening (page 69)
or thread M8

*****.0297






Stainless steel tube handle
Ø 25 mm

Art.No.	CC	L
12306	210	320

Universal fastening on page 66




- *****.0074
- *****.0224



Stainless steel tube handle
Ø 25 mm

Art.No.	CC	L
12084	210	335

Universal fastening on page 66




- *****.0074



Stainless steel tube handle
Ø 27 mm

Art.No.	CC	L
12286	210	358

Universal fastening on page 66




- *****.0074



Stainless steel tube handle
Ø 32 mm, polished ends

Art.No.	CC	L
10082	210	350

Universal fastening on page 66




- *****.0074



Stainless steel handle

Art.No.	CC	L
10120	210	398

Universal fastening on page 66



- *****.0074
- *****.0224




Stainless steel tube handle

Ø 30 mm

Art.No.	CC	L
12287	202	262

Universal fastening on page 66



- *****.0074
- *****.0224




Stainless steel tube handle

Ø 32 mm, polished ends

Art.No.	CC	L
12279	430	620

Universal fastening on page 66



- *****.0074




Stainless steel tube handle

Ø 30 / 25 mm

Art.No.	CC	L
12273	200	310

Universal fastening on page 66



- *****.0074
- *****.0224



FRONT DOOR HANDLES
MODERN DESIGN




Stainless steel tube handle


90°

Art.No.	W/D
12341	33/27
12342	40/20
12332	40/25
12245	45/25

Tube cross-section



CC	L
380	400
580	600
780	800
980	1000
1180	1200
1380	1400
1580	1600
1780	1800
1980	2000



Universal fastening
on page 66

- *****.0074
- *****.0224




Stainless steel tube handle

45°

Art.No.	W/D
12290	40/20


Other cross-sectional dimensions on request

Tube cross-section




CC	L
380	400
580	600
780	800
980	1000
1180	1200
1380	1400
1580	1600
1780	1800
1980	2000

Universal fastening on page 66



- *****.0074
- *****.0224




Stainless steel tube handle

45°

Art.No.	W/D
12315	40/20


Other cross-sectional dimensions on request

Tube cross-section




CC	L
380	400
580	600
780	800
980	1000
1180	1200
1380	1400
1580	1600
1780	1800
1980	2000

Universal fastening on page 66



- *****.0074
- *****.0224





Aluminium handle
90°

Art.No.	W/D
12336	40/20
12343	40/25
12337	45/25

CC	L
380	400
580	600
780	800
980	1000
1180	1200
1380	1400
1580	1600

Universal fastening
on page 66

Tube cross-section



Stainless steel tube handle
90°



Art.-Nr.	W/D
12339	40/25

Other cross-sectional
dimensions on request

CC	L
560	600
760	800
960	1000
1160	1200
1360	1400
1560	1600

Universal fastening
on page 66

Tube cross-section






Stainless steel tube handle
33/27 mm, 90°

Art.No.	CC	L
12311	291	400
	491	600
	691	800
	891	1000
	1091	1200
	1291	1400
	1491	1600
	1691	1800
	1891	2000

Universal fastening on page 66




- ****.0074
- ****.0224



Stainless steel tube handle
Ø 34 mm, 90°

Art.No.	CC	L
12278	291	400
	491	600
	691	800
	891	1000
	1091	1200
	1291	1400
	1491	1600
	1691	1800
	1891	2000

Universal fastening on page 66



- ****.0074
- ****.0224




Stainless steel tube handle

30 x 30 mm, 90°

Art.No.	CC	L
12327	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600
	1600	1800
	1800	2000

Universal fastening on page 66



- *****.0074
- *****.0224




Aluminium handle

30 x 30 mm, 90°

Art.No.	CC	L
12271	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600

Universal fastening on page 66



- *****.0000
- *****.0224




Stainless steel tube handle

30 x 30 mm, 90°, polished ends

Art.No.	CC	L
12328	210	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400
	1400	1600

Universal fastening on page 66



- *****.0074





Stainless steel tube handle

32 x 32 mm, 45°

Art.No.	CC	L
12192	300	500

Universal fastening on page 66



*****.0074

*****.0224





Stainless steel tube handle

40/20 mm, 45°

Art.No.	CC	L
12185	350	370

Universal fastening on page 66



*****.0074

*****.0224




Stainless steel handle

40 x 10 mm

Art.No.	CC	L
12256	200	400
	400	600
	600	800
	800	1000
	1000	1200
	1200	1400

Universal fastening on page 66



*****.0074


*****.0224

Stainless steel handle

40 x 10 mm

Art.No.	CC	L
12272	600/600	1600
	700/700	1800

Universal fastening on page 66



*****.0074

*****.0224




Stainless steel handle

40 x 10 mm

Art.No.	CC	L
12255	840	1000

Universal fastening on page 66

 *****.0074  *****.0224




Stainless steel tube handle

Ø 25 mm

Art.No.	CC	L
12130	800	836

Universal fastening on page 66

 *****.0074  *****.0224




Stainless steel tube handle

Ø 25 mm

Art.No.	CC	L
12149	500	530

Universal fastening on page 66

 *****.0074  *****.0224






Stainless steel tube handle

Ø 32 mm

Art.No.	CC	L
12133	350	550

Front attachment



- *****.0074
- *****.0224





Tube handle made of stainless steel and carbon


Ø 32/25 mm, 45°, polished ends

Art.No.	CC	L
12242	600	1000

Universal fastening on page 66



- *****.7457




Stainless steel tube handle and real birch wood


Ø 32/25 mm, 45°, polished ends

Art.No.	CC	L
12262	210	400
	400	600
	600	800

Universal fastening on page 66



- *****.0074
- *****.0224



**Stainless steel tube handle
prepared for finger scan**
90°



Art.No.	W/D	Scanner
12334	33/27	ekey Navkom
12357	40/20	Navkom
12333	40/25	ekey Navkom
12335	45/25	ekey IDENCOM Navkom

CC	L	A
380	400	60
580	600	60
780	800	60
980	1000	160
1180	1200	260
1380	1400	360
1580	1600	460
1780	1800	560
1980	2000	660

Fastening with cable passage
on page 69

Dimension **A** is variable
on request

Tube cross-section



- *****.0074
- *****.0224



Aluminium handle
prepared for finger scan
90°



Art.No.	W/D	Scanner
12344	40/25	ekey Navkom
12338	45/25	ekey IDENCOM Navkom

CC	L	A
380	400	60
580	600	60
780	800	60
980	1000	160
1180	1200	260
1380	1400	360
1580	1600	460

Fastening with cable passage
on page 69

Dimension **A** is variable
on request

Tube cross-section



Stainless steel tube handle
prepared for finger scan
90°

Art.No.	W/D	Scanner
12358	40/25	ekey Navkom



Other cross-sectional
dimensions on request

CC	L	A
560	600	60
760	800	60
960	1000	160
1160	1200	260
1360	1400	360
1560	1600	460

Fastening with cable passage
on page 69

Dimension **A** is variable
on request

Tube cross-section






**Stainless steel tube handle
prepared for finger scan
ekey or Navkom**

33/27 mm, 90°

Art.No.	CC	L	A
12330	210	400	60
	400	600	60
	600	800	60
	800	1000	160
	1000	1200	260
	1200	1400	360
	1400	1600	460
	1600	1800	560
	1800	2000	660

Fastening with cable passage on page 69

Dimension **A** is variable on request



*****.0074

*****.0224




**Stainless steel tube handle
prepared for finger scan
ekey or Navkom**

33/27 mm, 45°

Art.No.	CC	L	A
12329	210	400	60
	400	600	60
	600	800	60
	800	1000	160
	1000	1200	260
	1200	1400	360
	1400	1600	460
	1600	1800	560
	1800	2000	660

Fastening with cable passage on page 69

Dimension **A** is variable on request



*****.0074

*****.0224




**Stainless steel tube handle
prepared for finger scan
ekey or Navkom**

33/27 mm, 90°

Art.No.	CC	L	A
12359	291	400	60
	491	600	60
	691	800	60
	891	1000	160
	1091	1200	260
	1291	1400	360
	1491	1600	460
	1691	1800	560
	1891	2000	660

Fastening with cable passage on page 69

Dimension **A** is variable on request



- *****.0074
- *****.0224




**Stainless steel tube handle
prepared for finger scan Navkom**

30 x 30 mm, 90°

Art.No.	CC	L	A
12360	210	400	60
	400	600	60
	600	800	60
	800	1000	160
	1000	1200	260
	1200	1400	360
	1400	1600	460
	1600	1800	560
	1800	2000	660

Fastening with cable passage on page 69

Dimension **A** is variable on request



- *****.0074
- *****.0224




**Aluminium handle
prepared for finger scan Navkom**

30 x 30 mm, 90°

Art.No.	CC	L	A
12361	210	400	60
	400	600	60
	600	800	60
	800	1000	160
	1000	1200	260
	1200	1400	360
	1400	1600	460

Fastening with cable passage on page 69

Dimension **A** is variable on request



- *****.0000
- *****.0224




FRONT DOOR HANDLES RENOVATION



Stainless steel tube handle
Ø 25/32 mm, 45°, brushed surface
Variable length / drilling distance

Art.No.	CC	L
12023	variable	variable

Universal fastening on page 66




- *****.0074
- *****.0224



Stainless steel tube handle
Ø 32/25 mm, 50°, brushed surface
Variable length / drilling distance

Art.No.	CC	L
12227	variable	variable

Universal fastening on page 66



- *****.0074
- *****.0224




Stainless steel tube handle

Ø 32/25 mm, 90°, brushed surface
Variable length / drilling distance

Art.No.	CC	L
12308	variable	variable
	H1	H2
min.	70	38
max.	135	103

Universal fastening on page 66



- *****.0074
- *****.0224




Stainless steel tube handle

33/27 mm, 90°, brushed surface
Variable length / drilling distance

Art.No.	CC	L
12310	variable	variable
	H1	H2
min.	70	38
max.	135	103

Universal fastening on page 66



Preparation for
finger scan ekey or
Navkom possible

- *****.0074
- *****.0224




Stainless steel tube handle

Ø 32/25mm, 45°, brushed surface
Variable length / drilling distance

Art.No.	CC	L
12307	variable	variable
	H1	H2
min.	58	52
max.	134	160

Universal fastening on page 66



- *****.0074
- *****.0224




Stainless steel tube handle

33/27 mm, 45°, brushed surface
Variable length / drilling distance

Art.No.	CC	L
12309	variable	variable
	H1	H2
min.	53	52
max.	129	160

Universal fastening on page 66



Preparation for
finger scan ekey or
Navkom possible


- *****.0074
- *****.0224



Aluminium handle
40/25 mm, 90°
Variable length / drilling distance


Art.No.	CC	L
12319	variable	variable

Universal fastening on page 66



Preparation for
finger scan ekey or
Navkom possible


- *****.0000
- *****.0224



Stainless steel tube handle
33/27 mm, 90°
Variable length / drilling distance

Art.No.	CC	L
12326	variable	variable

Universal fastening on page 66



Preparation for
finger scan ekey or
Navkom possible

- *****.0074
- *****.0224




Picture shows door DIN right



**“Barrier-free”
stainless steel tube handle**
Ø 32/25 mm, brushed surface

Art.No.	CC	L
12248 <i>(DIN left door)</i>	1090	1260
12249 <i>(DIN right door)</i>	1090	1260

Universal fastening on page 66




- *****.0074
- *****.0224




FASTENING

The confurn universal fastening



The majority of our handles can be securely and conveniently mounted with the universal fastening. The combination of fixing head and threaded accessories depends on the type of fixing and the nature of the door. The following examples show four installation options. Handles with special fixing screws are labelled accordingly.

We are gladly prepared to advise you correspondingly.



1 One-sided fastening
with self-tapping screw

2 One-sided fastening
with M8 screw and expansion dowel


3 One-sided protruding fastening
with threaded socket, threaded rod
and covering nut

4 Double-sided fastening
with two threaded sockets
and threaded rod

Door material


Universal fastening

Screw ST Ø 8 mm / SW6



Art.No.	Length of thread	Ø Drill bit	Material
19011	20 mm	8 mm	Stainless steel
19005	30 mm	8 mm	Stainless steel
19022	34 mm	8 mm	Stainless steel
19052	40 mm	8 mm	Stainless steel
19017	45 mm	8 mm	Stainless steel
19055	48 mm	8 mm	Galvanised steel

M10 self-tapping screw / SW6



Art.No.	Length of thread	Ø Drill bit	Material
19327	20 mm	8.5 mm	Galvanised steel
19328	30 mm	8.5 mm	Galvanised steel
19329	45 mm	8.5 mm	Galvanised steel
19330	60 mm	8.5 mm	Galvanised steel

Screw M8 / SW6



Art.No.	Length of thread	Ø Drill bit	Material
19015	8 mm	6.8 mm	Stainless steel
19020	11,5 mm	6.8 mm	Stainless steel
19047	14 mm	6.8 mm	Stainless steel
19039	20 mm	6.8 mm	Stainless steel
19014	40 mm	6.8 mm	Stainless steel

Threaded socket with M8 internal thread



Art.No.		Material
19004		Stainless steel
19070	with screw locking	Stainless steel

Accessories for M8 threaded socket

M8 adapter screw ST Ø 6.7 mm



Art.No.	Length of thread	Ø Drill bit	Material
19032	30 mm	6.7 mm	Steel
19081	50 mm	6.7 mm	Steel

M8 threaded rods for threaded socket



Art.No.	Length of thread	Ø Drill bit	Material
19089	25 mm	8 mm	Stainless steel
19074	65 mm	8 mm	Stainless steel
19068	75 mm	8 mm	Stainless steel
19095	100 mm	8 mm	Stainless steel
19006	120 mm	8 mm	Galvanised steel

Expansion dowel for M8 screws



Art.No.	Length of thread	Ø Drill bit	Material
19003	41.5 mm	12 mm	Brass

M8 nuts



Art.No.		Material
19002	Cap nut	Stainless steel
11007	Covering nut Ø 25 mm	Stainless steel



Accessories for universal fastening

Washer round for 90° base



Art.No.		Size	Thickness	Material
19096		Ø 24 mm	1 mm	PVC transparent
19336	with clamping edge	Ø 25.8 mm	0.7 mm	Plastic
19058	for glass door	Ø 24 mm	1 mm	PVC transparent

Washer oval for 45° base



Art.No.		Size	Thickness	Material
19097		25 x 35 mm	1 mm	PVC transparent
19335	with clamping edge	26 x 37 mm	0.7 mm	Plastic
19064	for glass door	25 x 35 mm	1.4 mm	PVC transparent

Washer oval for handle 12137



Art.No.		Size	Thickness	Material
19065		29 x 35 mm	1 mm	PVC transparent

Plastic sleeve for glass doors



Art.No.		Size	Thickness	Material
19048		Ø 12 mm	10 mm	PVC

Cover plate for renovation



Art.No.		Size	Thickness	Material
19046		Ø 85 mm	2 mm	Stainless steel




“Classic” fastening

Screw M8



Art.No.	Length of thread	Ø Drill bit	Material
19340	15 mm	8 mm	Steel
	100 mm	8 mm	Steel

Screw ST



Art.No.	Length of thread/ Ø	Ø Drill bit	Material
19028	34 mm / 10 mm	8 mm	Steel
19056	48 mm / 10 mm	8 mm	Steel
19346	50 mm / 8 mm	6 mm	Steel

Special screw

Screw M8



Art.No.	Length of thread	Ø Drill bit	Material
19334	22 mm	6.8 mm	Steel

Screw ST14 with cable passage (finger scan)




Art.No.	Length of thread	Ø Drill bit	Material
19361	30 mm	12.5 mm	Stainless steel

ESCUTCHEONS



Escutcheon made of stainless steel

Art.No.	Ø	Drill size	Depth
11005	24.7	21.2	6.9




- *****.0074
- *****.0224



Escutcheon made of stainless steel

Art.No.	Ø	Drill size	Depth
11033	28	21.2	8.9




- *****.0074
- *****.0224



Escutcheon made of stainless steel

Art.No.	Ø	Drill size	Depth
11010	32	21.2	8.9




- *****.0074
- *****.0224



Escutcheon made of stainless steel

Art.No.	Ø	Drill size	Depth
11013	32	21.2	8.9




- *****.0074
- *****.0224



Escutcheon made of stainless steel

Art.No.	Ø	Drill size	Depth
11039	26	20	6




- *****.0074
- *****.0224



Design escutcheon made of stainless steel

Art.No.	Size	Depth
11004	33 x 74	9




- *****.0074
- *****.0224



Escutcheon made of stainless steel

Art.No.	Ø	Drill size	Depth
11040	26	20	13




- *****.0074
- *****.0224



Design escutcheon made of stainless steel

Art.No.	Size	Depth
11001	29 x 67	9.5




- *****.0074
- *****.0224



Escutcheon made of aluminium

Art.No.	Ø	Drill size	Depth
11037	26	20	6




- *****.0000
- *****.0224



Design escutcheon made of stainless steel
with pull protection and anti-drilling protection

Art.No.	Size	Depth
11003	33 x 74	15.5




- *****.0074
- *****.0224



Escutcheon made of aluminium

Art.No.	Ø	Drill size	Depth
11038	26	20	13




- *****.0000
- *****.0224



Design escutcheon made of stainless steel
with pull protection, anti-drilling protection
and height adjustment

Art.No.	Size	Depth
11011	37 x 74	14 - 21.5



- *****.0074
- *****.0224



HOUSE NUMBERS
ACCESSORIES



House numbers made of stainless steel

Art.No.	Figure	Size	⊕⊖
60000	0	120 x 150	130
60001	1	75 x 150	130
60002	2	104 x 150	130
60003	3	110 x 150	130
60004	4	119 x 150	130
60005	5	114 x 150	130
60006	6	112 x 150	130
60007	7	107 x 150	130
60008	8	116 x 150	130
60009	9	112 x 150	130
60010	a	104 x 117	95
60011	b	105 x 147	95
60012	c	103 x 115	95
60013	d	105 x 147	95

*****.0074 *****.0224



Maintenance kit for stainless steel

Art.No.
71000

Art.No	Page	Art.No	Page	Art.No	Page	Art.No	Page
10061	27	12149	45	12302	12	12344	50
10082	29	12160	7	12306	28	12353	27
10120	30	12161	9	12307	58	12354	27
11001	73	12184	19	12308	58	12357	49
11003	73	12185	42	12309	59	12358	51
11004	73	12192	42	12310	59	12359	54
11005	71	12208	11	12311	38	12360	55
11007	67	12209	10	12312	7	12361	55
11010	71	12214	12	12315	35	19002	67
11011	73	12227	57	12316	26	19003	67
11013	71	12242	47	12317	26	19004	66
11033	71	12245	33	12318	26	19005	66
11037	72	12248	63	12319	60	19006	67
11038	72	12249	63	12321	10	19011	66
11039	72	12253	14	12322	11	19014	66
11040	72	12254	14	12323	17	19015	66
12003	21	12255	44	12324	18	19017	66
12004	21	12256	43	12325	20	19020	66
12005	21	12258	15	12326	61	19022	66
12013	21	12259	15	12327	40	19028	69
12017	21	12262	46	12328	40	19032	67
12018	21	12263	9	12329	53	19039	66
12020	22	12264	8	12330	52	19046	68
12023	57	12271	41	12332	33	19047	66
12049	16	12272	43	12333	49	19048	68
12084	28	12273	31	12334	49	19052	66
12115	19	12278	39	12335	49	19055	66
12122	22	12279	30	12336	36	19056	69
12125	16	12286	29	12337	36	19058	68
12130	45	12287	31	12338	50	19064	68
12133	46	12290	34	12339	37	19065	68
12134	8	12295	25	12341	33	19068	67
12137	17	12296	25	12342	33	19070	66
12138	20	12297	25	12343	36	19074	67

SURFACES	ICONS
*****.0000 Aluminium raw brushed	 Drilling distance
*****.0032 Shiny brass PVD	
*****.0071 Shiny chrome	
*****.0074 Stainless steel brushed	
*****.7457 Stainless steel brushed/carbon	
*****.0224 Black matt powder-coated	
*****.0283 Chilled copper powder-coated	
*****.0284 Covered brass powder-coated	
*****.0285 Mellow titanium powder-coated	
*****.0297 Antique bronze	
*****.0298 Natural bronze	

Care instructions for stainless steel products

Our care instructions brochure contains practical tips for the optimal cleaning of our stainless steel handles and is enclosed with every stainless steel product.

Upon request, we can also customise the brochure with your own logo.





